

We are currently updating our site; thank you for your patience.

INSTALLATION AND CONFIGURATION


BPO2 ENVIRONMENT CONFIGURATION

When **BPO** is first installed, you will need to update the connection settings with your specific **SQL** server and database names. Contact the **CO3 Technologies Support Centre** (softwaredocs@co3.co.za) for these details.

CONNECT BPO TO THE DATABASE

• Double click on the **BPO icon** on your computer.






BPO CONFIG

- The **BPO Login** screen will be displayed, if there are other environments already configured, these will also be displayed in this screen.
- Click on Config.






ENVIRONMENT SETUP DETAILS

The **Database Environment Setup** screen will be displayed.

- 1. Type in the correct **Environment Name** .
- 2. Type in the correct **Server Name** or click on **Get Server** and select the correct server.
- 3. Type in the correct **Database Name** or click on **Get Database** and select the correct database.
- 4. **Trusted connection** checkbox: Either tick or leave it un-ticked, as required.






SAVE DETAILS


• Click on Save.





- A Success message box will pop up informing you that;
 - The connection details have been updated successfully.
- Click on Ok.






VIEW NEW ENVIRONMENT

- The **Database Environment Setup** screen will close.
- The new environment added will be displayed in the BPO Login screen.
- In this image, **Example Company** has been added.





MNU.146.018