


PROJECTS

STANDARD METHODOLOGY - LINK A BILL OF MATERIALS

A Bill of Materials can be linked to either a Main or Sub-layer where the Work Order to be Generated has been selected.

For the purpose of this manual, the Bill of Materials (BOM) has been linked using the **Edit** function on the **Project Maintenance** screen, but can also be linked when creating the project.


Ribbon Access: *Maintenance / Projects > Standard Methodology*





1. The **Project Methodology** screen will be displayed.
2. Click on the **row** of the **methodology layer** that you wish to **link a Bill of Materials (BOM)** to.
3. Click on **Edit**.




Short cut key: **Right click** to display the **Maintenance** menu list. Click on **Edit**.



4. The **Project Methodology Maintain** screen will be displayed.
5.  **Right click** on the next available row on the **Bill of Materials** frame to display the **Process** menu.
6. Click on **Add** - Add new BOM.




7. The **Select a BOM** screen will be displayed.
8. Click on the **row** of the **BOM** you wish to **assign** to this **project methodology layer**.
9. Click on **OK**.




10. The selected **BOM** will be added to the **Bill Of Materials** frame.

11. Click on **Save** to update the Project Methodology screen.



12. When you receive the **Project Methodology** message;
 - **The project methodology : [methodology name] has been saved.**
13. Click on **OK**.



Related Topics

- [Remove Bill of Materials \(BOM\)](#)

MNU.153.003

