

We are currently updating our site; thank you for your patience.

INSTALLATION AND CONFIGURATION

BPO2 ENVIRONMENT CONFIGURATION

When **BPO** is first installed, you will need to update the connection settings with your specific **SQL** server and database names. Contact the **CO3 Tech-nologies Support Centre** (support@co3technologies.com) for these details.

CONNECT BPO TO THE DATABASE

• Double click on the **BPO icon** on your computer.





BPO CONFIG

- The **BPO Login** screen will be displayed, if there are other environments already configured, these will also be displayed in this screen.
- Click on Config.



| 🖳 BPO Login | — | |
|--------------|--------------------|-------------|
| Environment: | Environment | ^ |
| | BPO2_RSI_TEST | |
| | BPOv2_ALPHA_Server | ~ |
| | < 2 | > |
| Login Name: | | |
| Password: | | |
| | Config Login Cance | el |
| | | |
| | | |
| | | |

ENVIRONMENT SETUP DETAILS

The **Database Environment Setup** screen will be displayed.

- 1. Type in the correct **Environment Name**.
- 2. Type in the correct **Server Name** or click on **Get Server** and select the correct server.
- 3. Type in the correct **Database Name** or click on **Get Database** and select the correct database.
- 4. **Trusted connection** checkbox: Either tick or leave it un-ticked, as required.



| 🛃 Database Environ | iment Setup | | - | | \times |
|--------------------|-----------------------|------------------|------|---|----------|
| Add Edit Dele | te Save Cancel Close | | | | |
| | 2 | | | | |
| Environment Name: | Example Company | | | | |
| Server Name: | LAPTOP-BGVUE4B8\RSI14 | 2 Get Server | | | |
| Database Name: | BPO2_ALPHA | 3 - Get Database | | | |
| | _ | | | | |
| | Trusted Connection | | | | |
| Environment | Server | Database | Trus | tedConnec | tion |
| BPO2_RSI_TEST | SVDB0001\RSI2014 | BPO2_RSI_TEST | No | | |
| BPOv2lssues_Server | SVDB0001\DEV | TEL_CO3_ISS | No | | |
| BPOv2_ALPHA_Server | 192.168.0.200\RSI2014 | RSI_ALPHA_BPO2 | No | | |
| BPOv2_AL_Local | LAPTOP-BGVUE4B8\RSI14 | BPO2_ALPHA | No | | |
| BPOv2_Local | LAPTOP-BGVUE4B8\RSI14 | RSI_ALPHA_BPO2 | No | | |
| BPOv2_TEST_Local | LAPTOP-BGVUE4B8\RSI14 | BPO2_ALPHA_TEST | No | | |
| CO3_Local | LAPTOP-BGVUE4B8\RSI14 | CO3_RSI_TEST | No | | |
| CO3_RSI_STEST | SVDB0001\DEV | CO3_RSI_TEST | No | | |
| | | | | | |
| | | | | | |
| | | | | The second se | 124.5 |

SAVE DETAILS

• Click on Save.



| COMPANY STATES OF THE STATES O | nent Setup | | | | \times |
|--|---|---|------------------------------------|----------|----------|
| Add Edit Delete | e Save Cancel Close | | | | |
| | | | | | |
| Environment Name: | Example Company | 25 | | | |
| Server Name: | APTOP-BGVUE4B8\RSI14 | Get Server | | | |
| Database Name: | BPO2_ALPHA | Get Database | | | |
| F= | 7 | | | | |
| L | Irusted Connection | | | | |
| | | | | | |
| Environment | Server | Database | Trus | tedConne | ection |
| Environment BPO2_RSI_TEST | Server SVDB0001\RSI2014 | Database BPO2_RSI_TEST | Trus No | tedConne | ection |
| Environment BPO2_RSI_TEST BPOv2Issues_Server | Server SVDB0001\RSI2014 SVDB0001\DEV | Database BPO2_RSI_TEST TEL_CO3_ISS | Trus No No | tedConne | ection |
| Environment BPO2_RSI_TEST BPOv2lssues_Server BPOv2_ALPHA_Server | Server SVDB0001\RSI2014 SVDB0001\DEV 192.168.0.200\RSI2014 | Database BPO2_RSI_TEST TEL_CO3_ISS RSI_ALPHA_BPO2 | Trus No No No | tedConne | ection |
| Environment BPO2_RSI_TEST BPOv2lssues_Server BPOv2_ALPHA_Server BPOv2_AL_Local | Server SVDB0001\RSI2014 SVDB0001\DEV 192.168.0.200\RSI2014 LAPTOP-BGVUE4B8\RSI14 | Database BPO2_RSI_TEST TEL_CO3_ISS RSI_ALPHA_BPO2 BPO2_ALPHA | Trus No No No | tedConne | ection |
| Environment BPO2_RSI_TEST BPOv2Issues_Server BPOv2_ALPHA_Server BPOv2_AL_Local BPOv2_Local | Server SVDB0001\RSI2014 SVDB0001\DEV 192.168.0.200\RSI2014 LAPTOP-BGVUE4B8\RSI14 LAPTOP-BGVUE4B8\RSI14 | Database BPO2_RSI_TEST TEL_CO3_ISS RSI_ALPHA_BPO2 BPO2_ALPHA RSI_ALPHA_BPO2 | Trus No No No No | tedConne | ection |
| Environment BPO2_RSI_TEST BPOv2lssues_Server BPOv2_ALPHA_Server BPOv2_AL_Local BPOv2_Local BPOv2_TEST_Local | Server SVDB0001\RSI2014 SVDB0001\DEV 192.168.0.200\RSI2014 LAPTOP-BGVUE4B8\RSI14 LAPTOP-BGVUE4B8\RSI14 LAPTOP-BGVUE4B8\RSI14 | Database BPO2_RSI_TEST TEL_CO3_ISS RSI_ALPHA_BPO2 BPO2_ALPHA RSI_ALPHA_BPO2 BPO2_ALPHA_TEST | Trus No No No No No | tedConne | ection |
| Environment BPO2_RSI_TEST BPOv2lssues_Server BPOv2_AL_PHA_Server BPOv2_AL_Local BPOv2_Local BPOv2_Local BPOv2_TEST_Local CO3_Local | Server SVDB0001\RSI2014 SVDB0001\DEV 192.168.0.200\RSI2014 LAPTOP-BGVUE4B8\RSI14 LAPTOP-BGVUE4B8\RSI14 LAPTOP-BGVUE4B8\RSI14 LAPTOP-BGVUE4B8\RSI14 | Database BPO2_RSI_TEST TEL_CO3_ISS RSI_ALPHA_BPO2 BPO2_ALPHA RSI_ALPHA_BPO2 BPO2_ALPHA_TEST CO3_RSI_TEST | Trus No No No No No | tedConne | ection |

- A Success message box will pop up informing you that;
 - The connection details have been updated successfully.
- Click on Ok.



| Add Edit Delet | ment Setup e Save Cancel Close | | - | | × |
|---|--|---|----------------------------|----------|-------|
| Environment Name: | Example Company | | | | |
| Server Name: | LAPTOP-BGVUE4B8\RSI14 | Get Server | | | |
| Database Name: | BPO2_ALPHA | Get Database | | | |
| | | | | | |
| | | | - | . 10 | 122 |
| Environment BPO2_RSI_TEST BPOv2lssues Server | Server SVDB00 SVDB00 SVDB00 | Database | Trusi | tedConne | ction |
| Environment BPO2_RSI_TEST BPOv2lssues_Server BPOv2_ALPHA_Server | Server SVDB001 SVDB001 192.168. | Database | Trus | tedConne | ction |
| Environment BPO2_RSI_TEST BPOv2lssues_Server BPOv2_ALPHA_Server BPOv2_AL_Local BPOv2_Local | Server SVDB00 SVDB00 192.168. LAPTOP LAPTOP | Database on details have been updated succes | Trus × sfully. | tedConne | ction |
| Environment BPO2_RSI_TEST BPOv2lssues_Server BPOv2_ALPHA_Server BPOv2_AL_Local BPOv2_Local BPOv2_TEST_Local | Server SVDB001 SVDB001 192.168. LAPTOP LAPTOP LAPTOP | Database on details have been updated succes | Trus × | tedConne | ction |
| Environment BPO2_RSI_TEST BPOv2Issues_Server BPOv2_ALPHA_Server BPOv2_AL_Local BPOv2_Local BPOv2_TEST_Local CO3_Local | Server SVDB000 SVDB000 192.168. LAPTOP LAPTOP LAPTOP LAPTOP | Database on details have been updated succes | Trus × sfully. | tedConne | ction |
| Environment BPO2_RSI_TEST BPOv2Issues_Server BPOv2_ALPHA_Server BPOv2_AL_Local BPOv2_Local BPOv2_TEST_Local CO3_Local CO3_RSI_STEST | Server SVDB00 SVDB00 SUCCESS 192.168 LAPTOP LAPTOP LAPTOP LAPTOP SVDB00 SVDB00 | Database on details have been updated succes | Trus × sfully. OK | tedConne | ction |

VIEW NEW ENVIRONMENT

- The Database Environment Setup screen will close.
- The new environment added will be displayed in the **BPO Login** screen.
- In this image, **Example Company** has been added.



| Environment: | Environment | | | ^ |
|--------------|-------------|-------|--------|---|
| | CO3 RSI S | TEST | | |
| | ٢. | | > | |
| Login Name: | | | | |
| Password: | | | | |
| | Config | Login | Cancel | |

MNU.146.018